Calbo-D®

Calcium + Vitamin-D

Active Ingredient

Calcium + Vitamin-D.

Indication

Calcium & Vitamin-D is used for the treatment of osteoporosis, osteomalacia, rickets, tetany, & parathyroid disease. It is also used as routine supplement & phosphate binder in chronic renal failure.

Dosage & Administration

Adults, elderly & children: 1 tablet in the morning & 1 tablet at night.

Contraindication & Precaution

- Hypercalcemia & hyperparathyroidism
- · Hypercalciuria & nephrolithiasis
- Hypersensitivity to the component of this preparation
- · Severe renal insufficiency.

Drug Interaction

It has possible interaction with digoxin, antacids containing calcium, aluminum or magnesium, other calcium supplements, calcitriol or other Vitamin-D supplements; tetracycline, Doxycycline, aminocycline or oxytetracycline etc. So before taking any of these drugs consultations of the physicians are needed.

Side Effect

Allergic reactions, irregular heartbeats, nausea, vomiting, decreased appetite dry mouth & drowsiness.

Use in Pregnancy & Lactation

It should be used as directed by the physician during pregnancy & lactation.

Preparation

(Calcium 500 mg + Vitamin-D 200 I.U.)/Tablet.

Manufactured by

