Clobetasol Propionate, Ofloxacin, Ornidazole & Terbinafine Hydrochloride

COMPOSITION

Combicid[™] Cream: Each gram cream contains Clobetasol Propionate USP 0.50 mg, Ofloxacin USP 7.50 mg, Ornidazole INN 20 mg & Terbinafine Hydrochloride BP 10 mg.

PHARMACOLOGY

Combicid[™] Cream is a combination cream which exhibits anti-bacterial, anti-fungal, anti-protozoal & anti-inflammatory actions. Ofloxacin is a broad-spectrum antibiotic that acts against many gram-positive & gram-negative bacteria. Ornidazole belongs to the nitroimidazole group of antibiotics and is used to treat amoeba and trichomonas infections. Terbinafine is an Allylamine antifungal that inhibits biosynthesis of Ergosterol (an essential components if fungal cell membrane) via inhibition of Squalene Epoxidase enzyme causing fungal cell death. Clobetasol is a potent corticosteroid which exhibits anti-inflammatory, anti-pruritic and vasoconstrictive properties.

INDICATION

Combicid [™] Cream is indicated in the treatment of mixed and complicated Fungal, Protozoal & Bacterial infections, mild to moderate vaginitis, candidiasis and trichomoniasis, pruritus vulvae, dermatitis, eczema, genito-urinary infections.

DOSAGE AND ADMINISTRATION

Apply by gently rubbing onto the affected area twice daily.

CONTRAINDICATION

Contraindicated in patients hypersensitive to any of the components of the formulation.

PRECAUTION

Do not swallow. For external use only.

SIDE EFFECTS

Burning, itching, irritation, dry skin.

DRUG INTERACTION

No hazardous interactions have been reported.

USE IN PREGNANCY AND LACTATION

The safe use of this preparation during pregnancy & lactation has not been established.

STORAGE

Store below 30° C, keep away from light and out of the reach of children. Do not freeze.

HOW SUPPLIED

Combicid[™] Cream: Each laminated tube contains 15 gm Cream.

Manufactured by

