# Boostbryd-N® Liquid

Vitamins, Amino acids and Minerals (Except B<sub>1</sub>)
To ensure better growth during starter phage

## **Composition:**

2 500 000 I.U.	Proline	920 mg
500 000 I.U.	Serine	940 mg
3 750 mg	Tyrosin	670 mg
2 000 mg	Crude Protein	1.75 %
2 000 mg	Crude Fiber	0.01 %
10 000 mcg	Crude Fat	1.52 %
250 mg	Crude Ash	0.30 %
2 000 mcg	Sodium	0.07 %
887 mg	Potassium	0.05 %
898 mg	Lysine	0.11 %
1 341 mg	Methionine	0.02 %
933 mg	L-Cystine	0.02 %
3 460 mg	L-Threonine	0.06 %
470 mg	L-Tryptophane	0.02 %
3460 mg	Glycine	0.07 %
	500 000 I.U.  3 750 mg 2 000 mg 2 000 mg 10 000 mcg 250 mg 2 000 mcg 887 mg 898 mg 1 341 mg 933 mg 3 460 mg 470 mg	500 000 I.U.  3 750 mg Tyrosin  2 000 mg Crude Protein  2 000 mg Crude Fiber  10 000 mcg Crude Fat  250 mg Crude Ash  2 000 mcg Sodium  887 mg Potassium  898 mg Lysine  1 341 mg Methionine  933 mg L-Cystine  3 460 mg L-Tryptophane

#### Indication:

It is indicated for vitamin, mineral and amino acid deficiency, poor growth, lower production, decreased immunity in poultry and animal.

## **Dosage and Administration:**

Animal & Poultry: Administer in the drinking water at the dose of 1-2 ml/ Liter of water. Or as prescribed by the registered veterinary doctor.

It can be used in pet birds also but there is no recommended dosage. We will update you soonest about this issue.

Shake well before use.

#### Side effects:

It has no side effect at recommended dose.

## **Toxicity:**

It is non-toxic for animals & human body.

Withdrawal Period: Nil

#### **Storage Condition:**

Store below 25° C temperature & protect from light. Keep out of the reach of children.

#### **Preparation:**

100 ml Bottle & 500 ml HDPE Bottle