

## BabyLac™ Powder

### More than a milk replacer

#### Composition:

Crude protein 20.5 %. Crude fat 16.5 %, Crude ash 7.00 %, Crude fibre 0.20 %, Lysine 1.70 %, Calcium 0.70 %, Phosphorus 0.70 %, Sodium 0.70 %, Vitamin A 25,000 I. U, Vitamin D3 5,000 I.U., Vitamin E 225 mg, Vitamin C 450 mg, Iron 100 mg, Zinc 37 mg, Manganese 30 mg, Copper 10 mg, Iodin 0.45 mg, Selenium 0.25 mg, *Enterococcus facium* 1x 10<sup>9</sup> C.F.U., *Bacillus licheniformis* 1.3 x 10<sup>9</sup> C.F.U., *Bacillus licheniformis* 1.3 x 10<sup>9</sup> C.F.U., *Bacillus Subtilis* 1.3 x 10<sup>9</sup> C.F.U.

#### Indication:

- Provides balance nutrition to new born animals
- Encourages early rumen development and earlier weaning
- Ensures daily weight gain 700-800 gm per calf
- Enriched with vitamins (A, D3, E & C), minerals & probiotics to strengthen immune function
- Reduces the risk of disease transmission

#### Dosage and Administration:

**Calf:** Dissolve 140–160 g per liter of lukewarm water;

**Lamb & Kid:** Dissolve 50 g per liter of lukewarm water.

<b>Intensive Schedule of BabyLac</b>				
<b>Age</b>	<b>Quantity (gm)</b>	<b>Need /day(L)</b>	<b>Frequency</b>	<b>Associated feed</b>
1 <sup>st</sup> -3 <sup>rd</sup> day	Colostrum	1	3-4	
4 <sup>th</sup> - 7 <sup>th</sup> day	160	1.5-2	2-3	Water, concentrate feed (30gm)
2 <sup>nd</sup> week	160	2	2-3	Water, concentrate feed (200gm), Hay or straw
3 <sup>rd</sup> -4 <sup>th</sup> week	160	3	2-3	Water, concentrate feed (300gm), Hay or straw
5 <sup>th</sup> week	140	3	2	Water, concentrate feed (400-700 gm), Hay or straw
6 <sup>th</sup> week	140	2.5-2	2	Water, concentrate feed (1 Kg), Hay or straw
7 <sup>th</sup> week	140	2	2	Water, concentrate feed (1.7 Kg), Hay or straw
8 <sup>th</sup> week	140	1.5	2	Water, concentrate feed (2 Kg), hay or straw
9 <sup>th</sup> -10 <sup>th</sup> week	140	1	2	Water, concentrate feed (2.5 Kg), hay or straw

#### Preparation:

1 kg Pack